










Childhood Immunization Schedule

Age	Vaccine(s) your child will receive	Diseases your child will be protected against
 2 Months	<ul style="list-style-type: none"> DTaP-IPV-Hib Pneumococcal conjugate (PNEU-C13) Rotavirus 	<ul style="list-style-type: none"> Diphtheria, whooping cough (pertussis), tetanus, polio, <i>Haemophilus influenzae</i> type b Pneumococcal Disease Rotavirus
 4 Months	<ul style="list-style-type: none"> DTaP-IPV-Hib Pneumococcal conjugate (PNEU-C13) Meningococcal conjugate (MenconC) Rotavirus 	<ul style="list-style-type: none"> Diphtheria, whooping cough (pertussis), tetanus, polio, <i>Haemophilus influenzae</i> type b Pneumococcal Disease Meningococcal Disease Rotavirus
 6 Months	<ul style="list-style-type: none"> DTaP-IPV-Hib Pneumococcal conjugate (PNEU-C13) (for high-risk children only) 	<ul style="list-style-type: none"> Diphtheria, whooping cough (pertussis), tetanus, polio, <i>Haemophilus influenzae</i> type b Pneumococcal Disease
 6 Months Repeated annually, every influenza season	<ul style="list-style-type: none"> Annual (seasonal) influenza 	<ul style="list-style-type: none"> The strains of influenza expected to circulate in that influenza season. Because the strains of influenza circulating change every season, the influenza immunization changes each season as well. To be protected, your child needs to receive his or her influenza immunization every year, at the start of influenza season (approximately October of every year).
 12 Months	<ul style="list-style-type: none"> MMR-Var Meningococcal conjugate (MenconC) Pneumococcal conjugate (PNEU-C13) 	<ul style="list-style-type: none"> Measles, mumps, rubella, chickenpox Meningococcal Disease Pneumococcal Disease
 18 Months	<ul style="list-style-type: none"> DTaP-IPV-Hib 	<ul style="list-style-type: none"> Diphtheria, whooping cough (pertussis), tetanus, polio, <i>Haemophilus influenzae</i> type b
 4-6 Years	<ul style="list-style-type: none"> dTap-IPV MMR-Var 	<ul style="list-style-type: none"> Diphtheria, whooping cough (pertussis), tetanus, polio Measles, mumps, rubella, chickenpox
 Grade 5	<ul style="list-style-type: none"> Hepatitis B (3 doses, given over the course of six months) HPV (3 doses, given over the course of six months) 	<ul style="list-style-type: none"> Hepatitis B Human papillomavirus
 Grade 9	<ul style="list-style-type: none"> dTap MenC-ACYW HPV (3 doses, given over the course of six months)* 	<ul style="list-style-type: none"> Diphtheria, whooping cough (pertussis), tetanus Meningococcal Disease Human papillomavirus

* HPV vaccine will only be given to students in grade 9 who have not already had 3 doses.